Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the period from March 17 to April 14, 1917, 86 cases of cerebrospinal meningitis, with 33 deaths, were notified in Minnesota, making a total of 124 cases, with 58 deaths, reported since January 1, 1917.

State Reports for March, 1917.

Place.	New cases reported.
District of Columbia	7
Maryland:	
Baltimore City	17
Dorchester County—	
Cambridge	3
Total	20
Massachusetts:	
Berkshire County—	
Pittsfield	2
Bristol County—	
Fall River	1
Norton (town)	1
Swansea (town)	1
Essex County—	
Beverly	1
Lynn	1
Peabody (town)	1
Middlesex County—	
Lowell	1
Massachusetts—Continued.	
Norfolk County—	
Quincy	1
Suffolk County—	
Boston	7
Total	17
Vermont: Burlington	1
Wisconsin:	
Columbia County	1
Grant County	1
Milwaukee County	6
Oneida County	1
Pierce County	2
Vernon County	2
Walworth County	2
Total	15

Arkansas Report for January, 1917.

During the month of January, 1917, cases of cerebrospinal meningitis were notified in Arkansas as follows: One case each in Mississippi and Polk Counties.

CEREBROSPINAL MENINGITIS—Continued.

City Reports for Week Ended Mar. 31, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio	6		Milwaukee, Wis	2	2
Baltimore, Md	3	2	Montclair, N. J	14	
Boston, Mass		2	Newark, N. J	1	
Bridgeport, Conn		3	New York, N. Y	7	6
Buffalo, N. Y	1		Niagara Falls, N. Y		1
Chicago, Ill	5	1	Omaha, Nebr	5	
Cincinnati, Ohio	2	1	Philadelphia, Pa	37	11
Cleveland, Ohio	4	3	Pittsburgh, Pa	4	2
Columbus, Ohio	1		Pittsfield, Mass	1	
Dayton, Ohio		1	Portsmouth, Va	2	2
Detroit, Mich	2	1	St. Louis, Mo	10	2
Duluth, Minn	3	2	St. Paul, Minn	2	1
Evansville, Ind	1	1	Salt Lake City, Utah	1	
Fall River, Mass	1		Sioux City, Iowa	1	
Hartford, Conn	7	4	Toledo, Ohio	1	1
Kansas City, Mo	4	2	Washington, D. C	4	
Lincoln, Nebr	1	1	Wheeling, W. Va		1
Lynn, Mass	1				

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 579.

ERYSIPELAS.

City Reports for Week Ended Mar. 31, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio	4		Long Beach, Cal	1	
Ann Arbor, Mich	1		Los Angeles, Cal	6	
Baltimore, Md	1		Milwaukee, Wis	8	1
Binghamton, N. Y	1		Newark, N. J	5	
Boston, Mass		2	New York, N. Y		8
Brockton, Mass	1		Philadelphia, Pa	8	4
Buffalo, N. Y	6	3	Pittsburgh, Pa	16	1
Butte, Mont	1		Portland, Oreg	1	
Chicago, Ill	41	3	Providence, R. I		3
Cincinnati, Ohio	4		Quincy, Ill	1	
Cleveland, Ohio	11	1	Racine, Wis	2	
Cumberland, Md	1		Reading, Pa	1	
Dayton, Ohio	1		Rochester, N. Y	3	1
Detroit, Mich	8	1	St. Joseph, Mo	2	
Duluth, Minn	1		St. Louis, Mo	28	2
El Paso, Tex		1	St. Paul, Minn	3	2
Hartford, Conn	3		San Francisco, Cal	5	3
Kalamazoo, Mich	1		Schenectady, N. Y	2	
Kansas City, Mo	1	4	Seattle, Wash	1	
Lancaster, Pa	1		Zanesville, Ohio		1
Lexington, Ky	1				

MALARIA.

Massachusetts Report for March, 1917.

Place.	New cases reported.	Place.	New cases reported.
Massachusetts:		Massachusetts—Continued.	
Bristol County—		Suffolk County—	
Fall River	1	Boston	1
Middlesex County—		Worcester County—	
Framingham (town)	1	Douglas (town)	1
Somerville	1		
		Total	5

MALARIA—Continued.

Arkansas Report for January, 1917.

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Carroll County	2	Ouachita County	1
Clay County	1	Perry County	4
Cleveland County	6	Phillips County	14
Greene County	12	Polk County	2
Izard County	6	Pope County	7
Jackson County	4	Sevier County	51
Lafayette County	16	White County	4
Mississippi County	19		
Newton County	8	Total	157

City Reports for Week Ended Mar. 31, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Charleston, S. C		1	Richmond, Va	1	
Detroit, Mich		1	Sacramento, Cal	2	

MEASLES.

California—Los Angeles.

Senior Surg. Brooks reported that during the week ended April 7, 1917, 301 cases of measles were notified in Los Angeles, Cal.

Illinois—Cairo.

Acting Asst. Surg. Barrows reported that during the week ended April 7, 1917, 648 cases of measles, with 4 deaths, were notified in Cairo, Ill.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 579.

PELLAGRA.

State Reports for March, 1917.

During the month of March, 1917, one case of pellagra was notified in Maryland, at Nanticoke, Wicomico County, and one case in Massachusetts, at Lowell, Middlesex County.

Arkansas Report for January, 1917.

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Cleveland County	4	Polk County	1
Drew County	3	Pope County	3
Logan County	1		
		Total	12

PELLAGRA—Continued.

City Reports for Week Ended Mar. 31, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala	.....	1	Lexington, Ky	.....	1
Charleston, S. C	.....	2	Mobile, Ala	.....	1
Concord, N. H	.....	1	New Orleans, La	2	2

PNEUMONIA.

City Reports for Week Ended Mar. 31, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Allentown, Pa	1	.....	Lorain, Ohio	1	.....
Baltimore, Md	16	30	Los Angeles, Cal	10	5
Berkeley, Cal	1	.....	Newark, N. J	43	15
Binghamton, N. Y	10	5	New Castle, Pa	3	.....
Braddock, Pa	2	.....	Pasadena, Cal	1	.....
Canton, Ohio	2	3	Philadelphia, Pa	144	69
Chicago, Ill	325	182	Pittsburgh, Pa	32	33
Cleveland, Ohio	44	59	Racine, Wis	1	1
Covington, Ky	1	.....	Reading, Pa	8	10
Dayton, Ohio	1	2	Rochester, N. Y	10	4
Detroit, Mich	13	62	Saginaw, Mich	1	1
Duluth, Minn	2	4	Salt Lake City, Utah	2	2
Flint, Mich	4	1	San Diego, Cal	2	2
Grand Rapids, Mich	7	10	Sandusky, Ohio	10	2
Harrisburg, Pa	2	.....	San Francisco, Cal	10	5
Kalamazoo, Mich	3	1	Schenectady, N. Y	6	4
Kansas City, Mo	9	24	Toledo, Ohio	3	5
Lancaster, Pa	2	.....	Wilkinsburg, Pa	1	.....

POLIOMYELITIS (INFANTILE PARALYSIS).

State Reports for March, 1917.

Place.	New cases reported.	Place.	New cases reported.
Maryland:		Massachusetts—Continued.	
Baltimore County—		Suffolk County—	
Roland Park	1	Boston	2
Canton	1	Total	8
Total	2	Vermont:	
Massachusetts:		Washington County—	
Essex County—		Duxbury	1
Beverly	1	Waterbury	5
Middlesex County—		Total	6
Lowell	1	Wisconsin:	
Newton	1	Eau Claire County	1
Woburn	1		
Plymouth County—			
Bridgewater (town)	1		
Whitman (town)	1		

Arkansas Report for January, 1917.

During the month of January, 1917, two cases of poliomyelitis were notified in Logan County, Ark.

City Reports for Week Ended Mar. 31, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Chicago, Ill	1	.....	Toledo, Ohio	.....	1
Fort Wayne, Ind	1	.....	Woburn, Mass	.....	1
New York, N. Y	3	.....			

RABIES IN ANIMALS.

City Report for Week Ended Mar. 31, 1917.

During the week ended March 31, 1917, two cases of rabies in animals were reported in Buffalo, N. Y.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 579.

SMALLPOX.

Connecticut.

Collaborating Epidemiologist Black reported that during the two weeks ended April 14, 1917, new cases of smallpox were notified in Connecticut as follows: Bristol, 4; Hartford, 1; Naugatuck, 1; New London, 1; Newtown, 6; Southington, 3; Waterbury, 1.

Illinois—Cairo.

Acting Asst. Surg. Barrows reported that during the week ended April 7, 1917, 8 new cases of smallpox were notified in Cairo, Ill.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended April 14, 1917, three new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Chisago County, Franconia Township, 1; Redwood County, Granite Rock Township, 1; Swift County, De Graff, 1.

Oregon—Astoria.

Surg. Ebert reported that during the period of 14 days ended April 7, 1917, 28 cases of smallpox were notified in Astoria, Oreg.

State Reports for March, 1917.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
Maryland:						
Baltimore City	7	.....	.....	.....	7	.....
Massachusetts:						
Worcester County—						
Worcester	5	.....	.....	3	2	.....

SMALLPOX—Continued.

Miscellaneous State Reports.

Place.	Cases.	Deaths.
Arkansas (Jan. 1-31):		
Calhoun	5	.....
Clay	5	.....
Dallas	1	.....
Garland	14	.....
Greene	15	.....
Hempstead	7	.....
Jackson	7	.....
Lawrence	10	.....
Mississippi	53	.....
Phillips	1	.....
Polk	12	.....
Prairie	3	.....
Pulaski	4	.....
St. Francis	7	.....
White	12	.....
Total	156	.....
Oregon (Feb. 1-28):		
Multnomah County—Portland	4	.....
Vermont (Mar. 1-31):		
Washington County	1	.....
Rutland County	1	.....
Total	2	.....
Wisconsin (Mar. 1-31):		
Burnett County	3	1
Calumet County	25	.....
Wisconsin (Mar. 1-31)—Con.		
Chippewa County	12	.....
Columbia County	3	.....
Dane County	14	.....
Douglas County	7	.....
Dunn County	4	.....
Eau Claire County	3	.....
Green County	1	.....
Kenosha County	1	.....
La Crosse County	5	.....
Lafayette County	1	.....
Lincoln County	2	.....
Manitowoc County	1	.....
Marathon County	2	.....
Marinette County	10	.....
Milwaukee County	5	.....
Monroe County	6	.....
Pierce County	3	.....
Portage County	1	.....
Price County	2	.....
Rock County	4	.....
Walworth County	2	.....
Washburn County	1	.....
Washington County	5	.....
Waukesha County	1	.....
Waupaca County	4	.....
Wood County	2	.....
Total	130	1

City Reports for Week Ended Mar. 31, 1917.

Place.	Cases.	Deaths.
Akron, Ohio	2	.....
Ann Arbor, Mich	2	.....
Austin, Tex	11	1
Baltimore, Md	2	.....
Butte, Mont	3	.....
Cleveland, Ohio	7	.....
Covington, Ky	6	.....
Danville, Ill	8	.....
Davenport, Iowa	2	.....
Detroit, Mich	3	.....
Duluth, Minn	1	1
El Paso, Tex	1	.....
Evansville, Ind	4	.....
Flint, Mich	2	.....
Fort Worth, Tex	1	.....
Galveston, Tex	2	.....
Grand Rapids, Mich	2	.....
Indianapolis, Ind	7	.....
Kansas City, Mo	4	.....
La Crosse, Wis	1	.....
Lima, Ohio	2	.....
Little Rock, Ark	5	.....
Madison, Wis	10	.....
Marinette, Wis	2	.....
Minneapolis, Minn	38	.....
Muscatine, Iowa	2	.....
New Castle, Pa	1	.....
New Orleans, La	15	.....
New York, N. Y	1	.....
Oklahoma City, Okla	10	.....
Omaha, Nebr	16	.....
Rockford, Ill	1	.....
St. Joseph, Mo	17	.....
St. Louis, Mo	6	.....
St. Paul, Minn	3	.....
Salt Lake City, Utah	1	.....
San Francisco, Cal	7	1
Seattle, Wash	1	.....
Sioux City, Iowa	14	.....
Springfield, Ill	5	.....
Toledo, Ohio	1	.....
Topeka, Kans	4	.....
Wichita, Kans	3	.....
Zanesville, Ohio	3	.....

TETANUS.

City Reports for Week Ended Mar. 31, 1917.

Place.	Cases.	Deaths.
El Paso, Tex	1	.....
Newark, N. J	2	.....
New York, N. Y	1	1
Quincy, Ill	.....	1

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 579.

TYPHOID FEVER.

State Reports for March, 1917.

Place.	New cases reported.
District of Columbia	9
Maryland:	
Baltimore City	30
Allegany County—	
Cumberland	2
Gilmore	1
Western Maryland Hospital	1
Anne Arundel County—	
Brooklyn	2
Revel Station	1
Baltimore County—	
Ellicott City	2
Highlandtown	3
Charles County—	
Hughesville	1
Cecil County—	
Chesapeake City	1
Union Hospital	1
Dorchester County—	
Elliotts	1
Frederick County—	
Brunswick	1
Walkersville (R. F. D.)	3
Garrett County—	
Friendsville	1
Harford County—	
Fallston	2
Howard County—	
Ellicott City	13
Pine Orchard	1
Kent County—	
Chestertown	2
Millington	1
Prince George County—	
Camp Springs (R. F. D.)	1
Somerset County—	
Crisfield (R. F. D.)	1
Washington County—	
Hancock	1
Wicomico County—	
Wetipquin	1
Total	74
Massachusetts:	
Barnstable County—	
Chatham (Town)	1
Berkshire County—	
Great Barrington (Town)	1
Bristol County—	
Fall River	6
New Bedford	2
Essex County—	
Haverhill	1
Lawrence	3
Lynn	4
Methuen (Town)	1
Newburyport	1
Peabody (Town)	1
Rockport (Town)	1
Saugus (Town)	2
Franklin County—	
Greenfield (Town)	1
Massachusetts—Continued.	
Hampden County—	
Chicopee	1
Holyoke	2
Ludlow (Town)	1
Russell (Town)	1
Springfield	1
Middlesex County—	
Cambridge	1
Concord (Town)	1
Everett	1
Lowell	6
Malden (Town)	1
Newton	4
Somerville	1
Westford (Town)	1
Norfolk County—	
Wrentham (Town)	1
Plymouth County—	
Brockton	2
Hanson (Town)	2
Suffolk County—	
Boston	7
Worcester County—	
Ashburnham (Town)	1
Fitchburg	1
Gardner (Town)	1
Westborough (Town)	1
Worcester	6
Total	69
Vermont:	
Addison County	4
Chittenden County	2
Franklin County	11
Grand Isle County	1
Washington County	1
Windham County	1
Windsor County	1
Total	21
Wisconsin:	
Bayfield County	2
Brown County	2
Buffalo County	1
Door County	12
Eau Claire County	4
Grant County	1
Juneau County	1
Manitowoc County	3
Milwaukee County	15
Price County	1
Racine County	1
Richland County	1
Rusk County	1
Sheboygan County	6
Winnebago County	1
Total	52

TYPHOID FEVER—Continued.

Oregon Report for February, 1917.

Place.	New cases reported.	Place.	New cases reported.
Oregon:		Oregon—Continued.	
Clackamas County	4	Multnomah County—	
Clatsop County	2	Portland	7
Columbia County	1	Umatilla County	1
Jackson County	1		
Lane County	1	Total	17

Arkansas Report for January, 1917.

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Cleveland County	2	Pope	4
Izard County	1	Sevier County	3
Mississippi County	4	Washington County	2
Newton County	1		
Perry County	1	Total	22
Polk	4		

City Reports for Week Ended Mar. 31, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Albany, N. Y	4		Milwaukee, Wis	5	
Baltimore, Md	6	1	Minneapolis, Minn	1	
Beaver Falls, Pa	3		Newark, N. J	1	
Binghamton, N. Y	1	1	New Bedford, Mass	1	
Birmingham, Ala	4		New Castle, Pa	1	
Boston, Mass	2		New Haven, Conn	2	1
Brockton, Mass	1		New London, Conn	1	1
Buffalo, N. Y	3		New Orleans, La	2	1
Canton, Ohio	1		New York, N. Y	10	5
Chicago, Ill	1		Norristown, Pa	1	
Chicopee, Mass	1		Perth Amboy, N. J	1	
Cincinnati, Ohio	3		Philadelphia, Pa	6	
Cleveland, Ohio	10	1	Pittsburgh, Pa	1	
Coffeyville, Kans	1		Reading, Pa	2	
Covington, Ky	2		Saginaw, Mich	1	
Detroit, Mich	7	2	St. Joseph, Mo		1
Fall River, Mass	2		St. Louis, Mo	2	
Galveston, Tex	1		Salt Lake City, Utah	1	
Grand Rapids, Mich		1	San Diego, Cal	1	
Indianapolis, Ind	6		San Francisco, Cal	3	1
Jackson, Mich	1		South Bend, Ind	4	
Kalamazoo, Mich	1		Springfield, Mass	1	
Kansas City, Kans	1		Syracuse, N. Y	1	
Kansas City, Mo	1	1	Toledo, Ohio	1	
Lawrence, Mass	1		Troy, N. Y	1	1
Los Angeles, Cal	4		Wilkinsburg, Pa	1	
Lowell, Mass	1		Watertown, N. Y	2	
Lynn, Mass	1		Wilmington, Del	1	
Manchester, N. H	1		Zanesville, Ohio	10	

TYPHUS FEVER.

Texas.

Senior Surg. Pierce reported that during the two weeks ended April 7, 1907, one new case of typhus fever was notified at Laredo, Tex., making a total of 79 cases of the disease reported from points on the Mexican border since July 1, 1916.

During the 14-day period ended April 7, 1917, 134,345 persons were inspected at points along the Mexican border. Of this number 8,909 were disinfected for destruction of vermin and 3,366 were vaccinated. Thirty persons were refused admission because of illness.

PREVENTABLE DISEASES.

Massachusetts Report for Week Ended Mar. 31, 1917.

	Cases reported.		Cases reported.
Anthrax	1	Ophthalmia neonatorum	52
Cerebrospinal meningitis	7	Poliomyelitis (infantile paralysis)	1
Chicken pox	190	Scarlet fever	184
Diphtheria	197	Septic sore throat	1
Dysentery	1	Trachoma	4
German measles	171	Tuberculosis (pulmonary)	160
Malaria	1	Tuberculosis (other forms)	9
Measles	696	Typhoid fever	13
Mumps	282	Whooping cough	72

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for March, 1917.

Place.	Cases reported.			Place.	Cases reported.		
	Diphtheria.	Measles.	Scarlet fever.		Diphtheria.	Measles.	Scarlet fever.
District of Columbia	142	517	54	Massachusetts	859	2,857	721
Maryland	125	1,289	132	Vermont	32	2,224	100
				Wisconsin	236	632	1,329

State Reports for January and February, 1917.

During the month of January, 1917, 29 cases of diphtheria, 891 cases of measles, and 27 cases of scarlet fever were reported in Arkansas.

During the month of February, 1917, 3 cases of diphtheria, 1,175 cases of measles, and 111 cases of scarlet fever were reported in Oregon.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Mar. 31, 1917.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md	589,621	278	14	.....	123	1	14	.....	37	40
Boston, Mass	756,476	277	82	1	172	1	56	3	63	36
Chicago, Ill	2,497,722	850	200	21	1,050	6	564	20	227	81
Cleveland, Ohio	674,073	256	33	7	150	1	15	.....	42	23
Detroit, Mich	571,784	282	114	10	121	2	327	4	47	22
Los Angeles, Cal	503,812	141	5	1	350	1	17	.....	61	18
New York, N. Y	5,602,841	1,668	290	30	1,051	9	216	3	397	193
Philadelphia, Pa	1,709,518	680	91	15	107	7	36	.....	125	77
Pittsburgh, Pa	579,090	209	31	2	154	3	7	.....	27	12
St. Louis, Mo	757,309	285	86	6	644	5	75	.....	42	25
From 300,000 to 500,000 inhabitants:										
Buffalo, N. Y	468,558	222	24	3	15	.....	19	2	29	22
Cincinnati, Ohio	410,476	156	17	1	55	1	10	.....	33	24
Jersey City, N. J	306,345	79	11	1	15	.....	27	.....	29	12
Milwaukee, Wis	436,535	146	8	.....	19	.....	120	2	34	5
Minneapolis, Minn	363,454	.....	29	.....	14	.....	21	.....	.....	.....
Newark, N. J	408,894	128	24	.....	92	.....	23	.....	46	20
New Orleans, La	371,747	.....	10	2	43	.....	1	.....	31	32
San Francisco, Cal	463,516	125	21	.....	144	1	30	.....	37	19
Seattle, Wash	348,639	63	1	.....	139	.....	7	.....	.....	12
Washington, D. C	363,980	153	26	2	167	.....	12	.....	16	18
From 200,000 to 300,000 inhabitants:										
Columbus, Ohio	214,878	70	9	.....	93	2	6	.....	7	5
Indianapolis, Ind	271,708	.....	4	.....	591	.....	13	.....	12	.....
Kansas City, Mo	297,847	.....	7	1	234	1	89	1	2	8
Portland, Oreg	295,463	41	3	1	90	.....	22	.....	1	2
Providence, R. I	254,960	104	28	1	19	.....	12	1	.....	10
Rochester, N. Y	256,417	.....	8	.....	49	2	81	1	12	5
St. Paul, Minn	247,232	60	8	.....	96	.....	12	.....	16	11
From 100,000 to 200,000 inhabitants:										
Albany, N. Y	104,199	.....	3	.....	30	.....	7	.....	9	.....
Birmingham, Ala	181,762	58	2	.....	220	6	1	.....	12	6
Bridgeport, Conn	121,579	46	3	.....	10	1	2	.....	5	7
Cambridge, Mass	112,981	34	10	.....	67	1	8	.....	7	6
Camden, N. J	106,233	.....	11	.....	2	.....	2	.....	7	.....
Dayton, Ohio	127,224	45	14	.....	79	.....	.....	.....	7	8
Fall River, Mass	128,366	37	7	2	46	2	2	.....	4	4
Fort Worth, Tex	104,562	30	1	.....	87	.....	1	.....	2	2
Grand Rapids, Mich	128,291	58	5	2	226	4	15	.....	4	3
Hartford, Conn	110,900	.....	6	.....	7	.....	7	.....	3	2
Lawrence, Mass	100,560	21	.....	.....	.....	.....	2	.....	1	1
Lowell, Mass	113,245	30	10	.....	7	.....	2	.....	8	8
Lynn, Mass	102,425	23	4	.....	4	.....	10	.....	8	4
Nashville, Tenn	117,057	37	.....	.....	64	.....	1	.....	3	2
New Bedford, Mass	118,158	48	.....	.....	18	.....	2	.....	10	6
New Haven, Conn	149,685	.....	5	.....	65	.....	.....	.....	9	6
Omaha, Nebr	165,470	53	5	.....	73	.....	34	.....	.....	3
Reading, Pa	109,381	41	2	2	2	.....	11	.....	.....	1
Richmond, Va	156,687	58	1	.....	107	2	1	.....	9	6
Salt Lake City, Utah	117,399	25	3	.....	9	2	15	1	.....	1
Springfield, Mass	105,942	34	12	.....	20	.....	8	.....	5	3
Syracuse, N. Y	155,624	64	6	.....	70	1	34	1	8	10
Tacoma, Wash	112,770	.....	2	.....	3	.....	1	.....	.....	.....
Toledo, Ohio	191,554	74	3	.....	22	.....	48	2	11	10
Trenton, N. J	111,593	42	10	.....	4	.....	1	.....	12	5
Worcester, Mass	163,314	38	6	.....	1	.....	9	.....	11	3
From 50,000 to 100,000 inhabitants:										
Akron, Ohio	85,625	.....	16	.....	102	.....	3	.....	.....	.....
Allentown, Pa	63,505	21	3	.....	.....	.....	.....	.....	.....	2
Atlantic City, N. J	57,660	8	.....	.....	41	.....	11	.....	2	.....
Bayonne, N. J	69,893	.....	.....	.....	.....	.....	4	.....	5	.....
Berkeley, Cal	57,653	15	.....	.....	38	.....	2	.....	.....	4
Binghamton, N. Y	53,973	38	11	2	34	1	6	.....	2	1
Brockton, Mass	67,449	15	2	.....	2	.....	1	.....	.....	.....
Canton, Mass	60,852	13	.....	.....	1	.....	3	.....	3	1
Charleston, S. C	60,734	31	.....	.....	6	.....	.....	.....	.....	4
Covington, Ky	57,144	14	2	.....	1	.....	1	.....	2	4

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Mar. 31, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabitants—Continued.										
Duluth, Minn	94,495	9	1		9		7		1	2
Elizabeth, N. J	86,690		9		5		10		5	2
El Paso, Tex	63,705	55	1	1	24	3	1			18
Evansville, Ind	76,078	27	1		149	4			3	4
Flint, Mich	54,772	18	3		25		46	1		
Fort Wayne, Ind	76,183	21	1						1	1
Harrisburg, Pa	72,015	27	2		4				6	
Hoboken, N. J	77,214	22	3		5		5		9	4
Johnstown, Pa	68,529	34			13		8			7
Kansas City, Kans	99,437		2		17		22			
Lancaster, Pa	50,853		3		14		1		3	
Little Rock, Ark	57,343	13			48		1			
Malden, Mass	51,155	16	6		11		1			
Manchester, N. H	78,283	22	1		4		2			
Mobile, Ala	58,221	28			22	1	1		4	5
New Britain, Conn	53,794		2						6	1
Norfolk, Va	89,612				34		2			3
Oklahoma City, Okla	92,943	21	1		28		1			2
Passaic, N. J	71,744	15	5						2	
Pawtucket, R. I	59,411	14	3		1					1
Portland, Me	63,867	19	1		1					
Rockford, Ill	55,185	18			5		3			2
Sacramento, Cal	66,895	25	1		8	2	3		5	5
Saginaw, Mich	55,642	18					13		1	
St. Joseph, Mo	85,236	33	5		2		4		1	2
San Diego, Cal	53,330	23	1		41		1		20	4
Schenectady, N. Y	99,519	21	2		115		8		2	2
Sioux City, Iowa	57,078						2			
Somerville, Mass	87,039	30	6	1	3		3		3	3
South Bend, Ind	68,946	23			2		6			3
Springfield, Ill	61,120	8	2		7					3
Troy, N. Y	77,916		2		50		11		5	2
Wichita, Kans	70,722				151		2			
Wilkes-Barre, Pa	76,776	25	1		4		1		7	1
Wilmington, Del	94,265	48	1	1			5			
From 25,000 to 50,000 inhabitants:										
Alameda, Cal	27,732	4			5		3		1	
Auburn, N. Y	37,385	10	1				1			1
Austin, Tex	34,814	7	2		5		1			1
Brookline, Mass	32,730	6	3		2		1		1	
Butler, Pa	27,632	8	3		1				1	1
Butte, Mont	43,425	31	2		31					1
Chelsea, Mass	46,192	14	4		3		3		4	1
Chicopee, Mass	29,319	8	2		2		1		3	1
Cumberland, Md	26,074	9			6				2	3
Danville, Ill	32,261	6			12		2			
Davenport, Iowa	48,811						1			
Dubuque, Iowa	39,873				3		6		2	2
East Chicago, Ind	28,743		1		16					
East Orange, N. J	42,458	10	2		8		2		1	
Elgin, Ill	28,203	10			38		1			
Everett, Mass	39,233	11	9		11		2		2	1
Everett, Wash	35,486	8			24					1
Fitchburg, Mass	41,781	10	3		2				1	
Galveston, Tex	41,863	11	1		8				1	3
Haverhill, Mass	48,477		22	1	1		5		4	4
Jackson, Mich	35,363	16	2		31		5		1	1
Kalamazoo, Mich	48,886	21	3				5		6	3
Kenosha, Wis	31,576	4	1		18		1		1	
Kingston, N. Y	26,771	8			1					1
Knoxville, Tenn	38,676								3	
La Crosse, Wis	31,677	5	1				4		2	
Lexington, Ky	41,097	14			16		1			2
Lima, Ohio	35,384	6	3		4		3			1
Lincoln, Nebr	46,515	21	1		96		23		1	
Long Beach, Cal	27,587	8					2		1	
Lorain, Ohio	36,964		2		2		2			
Lynchburg, Va	32,940	6			7				3	
Madison, Wis	30,699						22		2	
Medford, Mass	26,234	5	2		14		2			

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Mar. 31, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabitants—Continued.										
Montclair, N. J.	26,318	6			1		1		2	
Newburgh, N. Y.	29,603	19					1		1	5
New Castle, Pa.	41,133				7					
Newport, Ky.	31,927	8					1		1	1
Newport, R. I.	30,108	9								
Newton, Mass.	43,715	11			42		1			
Niagara Falls, N. Y.	37,353	18			26		2		3	
Norristown, Pa.	31,401	14								3
Ogden, Utah.	31,404	11			5		5		1	1
Orange, N. J.	33,080	12	2		3				1	3
Pasadena, Cal.	46,450	9			12					
Perth Amboy, N. J.	41,185		2		1				2	
Pittsfield, Mass.	38,629	17			1		6		1	
Portsmouth, Va.	39,651	13			22		5			1
Quincy, Ill.	36,798	9	1		15		1			
Quincy, Mass.	38,136	11					2		3	2
Racine, Wis.	46,486	18					1		3	2
Roanoke, Va.	43,284	14	1		85		2		3	4
San Jose, Cal.	38,902				11		3		1	
Steubenville, Ohio.	27,445	8					1			
Superior, Wis.	46,226	7	1		1		2			
Taunton, Mass.	36,283	13			2		3		1	
Topeka, Kans.	48,726	7			77		4			1
Waltham, Mass.	30,570	12	4	1						
Watertown, N. Y.	29,894	12			8					
West Hoboken, N. J.	43,139		2		5		2		1	
Wheeling, W. Va.	43,377	21			5				1	3
Williamsport, Pa.	33,809		1		39		1			
Wilmington, N. C.	29,892	9			22					1
Winston-Salem, N. C.	31,155	17			13		1		5	1
Zanesville, Ohio.	30,863	15					2			
From 10,000 to 25,000 inhabitants:										
Ann Arbor, Mich.	15,010	15	1		13		17		1	
Beaver Falls, Pa.	13,532				1					
Braddock, Pa.	21,685		2							
Cairo, Ill.	15,794	6			35					3
Clinton, Mass.	[1] 13,075	6			12		1		1	1
Coffeyville, Kans.	17,548				7					1
Concord, N. H.	22,669	5	2		2		1			
Galesburg, Ill.	24,276	6	4		4					
Harrison, N. J.	16,950		1		3		3		2	
Kearny, N. J.	23,539	9	1		1		3		2	2
Kokomo, Ind.	20,930	8			5					1
Long Branch, N. J.	15,395	5			12					
Marinette, Wis.	[1] 14,610	3					1		1	
Melrose, Mass.	17,445	5			4					1
Morristown, N. J.	13,284	3					1		2	1
Muscatine, Iowa.	17,500				3					
Nanticoke, Pa.	23,126	7	2							
Newburyport, Mass.	15,243	4			23				3	
New London, Conn.	20,985	5			1					
North Adams, Mass.	[1] 22,019	5			1		1			
Northampton, Mass.	19,926				11	1	1		1	1
Plainfield, N. J.	23,805	10			2		3		3	
Portsmouth, N. H.	11,666						1			
Rocky Mount, N. C.	12,067	4			4					
Rutland, Vt.	14,831	3	1		1		3			
Sandusky, Ohio.	20,193	21			3				2	1
Saratoga Springs, N. Y.	13,821	6	4		7		3			
Steelton, Pa.	15,548	6								
Wilkinsburg, Pa.	23,228	12					1		2	
Woburn, Mass.	15,969									1

[1] Population Apr. 15, 1910; no estimate made.